EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:11
L2	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:11
L3	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L4	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L5	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:11
L6	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:11
L7	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:11
L8	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:11
L9	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L10	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L11	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:11
L12	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L13	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L14	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L15	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L16	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L17	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L18	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L19	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L20	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L21	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L22	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L23	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L24	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L25	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L26	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L27	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L28	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L29	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L30	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L31	23	buffer near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L32	5	stack near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L33	112	(buffer or stack) near2 overflow near2 (management or prevention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L34	1569	(buffer or stack) near2 overflow near2 (management or prevent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L35	305	(buffer or stack) near2 overflow near2 (management or prevent$3) and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L36	240	(buffer or stack) near2 overflow near2 (management or prevent$3) and call and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L37	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:11
L38	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L39	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L40	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:11
L41	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:11
L42	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:11
L43	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:11
L44	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:11
L45	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L46	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L47	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:11
L48	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L49	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L50	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L51	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L52	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L53	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L54	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L55	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L56	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L57	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L58	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L59	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L60	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L61	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L62	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L63	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L64	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L65	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L66	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L67	2	"6289444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L68	163	712/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L69	394	712/209.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L70	160	712/211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L71	787	712/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L72	104	712/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L73	57	712/231.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L74	646	712/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L75	1974	712/233-240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L76	720	712/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L77	755	712/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L78	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:11
L79	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L80	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L81	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:11
L82	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:11
L83	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:11
L84	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:11
L85	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:11
L86	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11

L87	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L88	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:11
L89	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L90	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L91	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L92	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L93	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L94	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L95	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L96	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L97	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L98	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L99	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L100	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L101	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L102	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L103	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L104	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L105	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L106	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L107	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L108	180	buffer near2 overflow near2 attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L109	152	buffer adj overflow adj attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L110	99	buffer adj overflow adj attack and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L111	91	buffer adj overflow adj attack and stack and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L112	74	compar$ near2 return near2 address	USPAT	OR	OFF	2008/07/03 13:11
L113	14	L112 and overflow	USPAT	OR	OFF	2008/07/03 13:11
L114	3	L112 and (buffer near2 overflow)	USPAT	OR	OFF	2008/07/03 13:11
L115	50	branch adj control adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L116	381	branch near2 condition near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L117	23	branch near2 condition near2 register near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L118	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11

L119	443	condition adj code adj register with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L120	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L121	2553610	L120 carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L122	264	L120 and (carry near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L123	1592	(condition adj code adj register) or (processor adj status adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L124	3988	conditional near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L125	4930	condition$3 near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L126	496	L123 and L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L127	0	branch near2 condition adj register adj bit adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L128	45	branch near2 condition with register with bit with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11

L129	0	"branch on condition" and (condition adj code adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L130	0	"branch on condition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L131	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L132	1908	(condition adj code adj register) or (processor adj status adj (register or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L133	1263	L132 and branch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L134	56	"5604877"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L135	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L136	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:11
L137	0	"10672367"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L138	32	"672367"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L139	41	francis.in. and mckeen.in.	USPAT	OR	OFF	2008/07/03 13:11
L140	8	francis.in. and mckeen.in. and stack	USPAT	OR	OFF	2008/07/03 13:11
L141	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:11
L142	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L143	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L144	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:11
L145	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:11
L146	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:11
L147	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:11
L148	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:11
L149	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L150	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L151	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:11
L152	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L153	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L154	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L155	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L156	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L157	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L158	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L159	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L160	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L161	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L162	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L163	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L164	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L165	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L166	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L167	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L168	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L169	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L170	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L171	23	buffer near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L172	5	stack near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L173	112	(buffer or stack) near2 overflow near2 (management or prevention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L174	1569	(buffer or stack) near2 overflow near2 (management or prevent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L175	305	(buffer or stack) near2 overflow near2 (management or prevent$3) and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L176	240	(buffer or stack) near2 overflow near2 (management or prevent$3) and call and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L177	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L178	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:11
L179	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:11
L180	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L181	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L182	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:11
L183	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L184	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L185	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L186	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L187	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L188	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L189	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L190	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L191	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:11
L192	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L193	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:11
L194	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:11
L195	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:11
L196	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L197	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L198	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L199	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L200	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L201	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L202	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L203	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L204	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L205	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L206	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L207	2	"6289444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L208	163	712/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L209	394	712/209.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L210	160	712/211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L211	787	712/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L212	104	712/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L213	57	712/231.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L214	646	712/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L215	1974	712/233-240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L216	720	712/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L217	755	712/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L218	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:11
L219	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:11
L220	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:11
L221	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L222	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:11
L223	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:11
L224	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11

L225	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L226	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L227	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L228	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L229	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L230	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:11
L231	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L232	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:12
L233	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L234	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:12
L235	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:12
L236	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:12
L237	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L238	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L239	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L240	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L241	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L242	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L243	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L244	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L245	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L246	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L247	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L248	180	buffer near2 overflow near2 attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L249	152	buffer adj overflow adj attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L250	99	buffer adj overflow adj attack and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L251	91	buffer adj overflow adj attack and stack and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L252	74	compar$ near2 return near2 address	USPAT	OR	OFF	2008/07/03 13:12
L253	14	L252 and overflow	USPAT	OR	OFF	2008/07/03 13:12
L254	3	L252 and (buffer near2 overflow)	USPAT	OR	OFF	2008/07/03 13:12
L255	50	branch adj control adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L256	381	branch near2 condition near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L257	23	branch near2 condition near2 register near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L258	443	condition adj code adj register with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12

L259	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L260	4930	condition$3 near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L261	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L262	1908	(condition adj code adj register) or (processor adj status adj (register or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L263	264	L261 and (carry near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L264	1592	(condition adj code adj register) or (processor adj status adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L265	496	L264 and L260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L266	2553610	L261 carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L267	3988	conditional near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L268	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12

L269	1263	L262 and branch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L270	0	"branch on condition" and (condition adj code adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L271	0	"branch on condition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L272	0	branch near2 condition adj register adj bit adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L273	45	branch near2 condition with register with bit with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L274	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L275	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L276	56	"5604877"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L277	17	gochman.in.	USPAT	OR	OFF	2008/07/03 13:12
L278	3	gochman.in. and stack	USPAT	OR	OFF	2008/07/03 13:12
L279	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:12
L280	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:12
L281	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12

L282	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L283	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:12
L284	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:12
L285	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:12
L286	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:12
L287	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L288	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L289	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:12
L290	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L291	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L292	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L293	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L294	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L295	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L296	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L297	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L298	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L299	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L300	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L301	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L302	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L303	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L304	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L305	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L306	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L307	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L308	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L309	23	buffer near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L310	5	stack near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L311	112	(buffer or stack) near2 overflow near2 (management or prevention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L312	1569	(buffer or stack) near2 overflow near2 (management or prevent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L313	305	(buffer or stack) near2 overflow near2 (management or prevent$3) and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L314	240	(buffer or stack) near2 overflow near2 (management or prevent$3) and call and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L315	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:12
L316	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L317	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12

L318	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:12
L319	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:12
L320	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:12
L321	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:12
L322	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:12
L323	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L324	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L325	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:12
L326	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L327	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L328	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L329	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L330	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L331	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L332	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L333	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L334	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L335	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L336	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L337	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L338	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L339	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L340	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L341	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L342	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L343	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L344	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L345	2	"6289444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L346	163	712/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L347	394	712/209.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L348	160	712/211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L349	787	712/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L350	104	712/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L351	57	712/231.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L352	646	712/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L353	1974	712/233-240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L354	720	712/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L355	755	712/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L356	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:12
L357	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L358	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L359	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:12
L360	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:12
L361	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:12
L362	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:12
L363	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:12
L364	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L365	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L366	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:12
L367	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L368	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L369	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L370	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L371	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L372	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L373	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L374	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L375	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L376	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L377	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L378	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L379	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L380	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L381	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L382	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L383	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L384	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L385	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L386	180	buffer near2 overflow near2 attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L387	152	buffer adj overflow adj attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L388	99	buffer adj overflow adj attack and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L389	91	buffer adj overflow adj attack and stack and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L390	74	compar$ near2 return near2 address	USPAT	OR	OFF	2008/07/03 13:12
L391	14	L390 and overflow	USPAT	OR	OFF	2008/07/03 13:12
L392	3	L390 and (buffer near2 overflow)	USPAT	OR	OFF	2008/07/03 13:12
L393	50	branch adj control adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L394	381	branch near2 condition near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L395	23	branch near2 condition near2 register near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L396	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L397	443	condition adj code adj register with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L398	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12

L399	2553610	L398 carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L400	264	L398 and (carry near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L401	1592	(condition adj code adj register) or (processor adj status adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L402	3988	conditional near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L403	4930	condition$3 near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L404	496	L401 and L403	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L405	0	branch near2 condition adj register adj bit adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L406	45	branch near2 condition with register with bit with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L407	0	"branch on condition" and (condition adj code adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L408	0	"branch on condition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12

L409	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L410	1908	(condition adj code adj register) or (processor adj status adj (register or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L411	1263	L410 and branch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L412	56	"5604877"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L413	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L414	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L415	0	"10672367"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L416	32	"672367"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L417	41	francis.in. and mckeen.in.	USPAT	OR	OFF	2008/07/03 13:12
L418	8	francis.in. and mckeen.in. and stack	USPAT	OR	OFF	2008/07/03 13:12
L419	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:12
L420	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12

L421	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L422	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:12
L423	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:12
L424	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:12
L425	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:12
L426	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:12
L427	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L428	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L429	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:12
L430	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L431	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L432	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L433	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L434	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L435	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L436	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L437	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L438	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L439	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L440	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L441	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L442	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L443	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L444	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L445	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L446	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L447	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L448	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L449	23	buffer near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L450	5	stack near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L451	112	(buffer or stack) near2 overflow near2 (management or prevention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L452	1569	(buffer or stack) near2 overflow near2 (management or prevent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L453	305	(buffer or stack) near2 overflow near2 (management or prevent$3) and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L454	240	(buffer or stack) near2 overflow near2 (management or prevent$3) and call and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L455	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L456	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:12
L457	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:12

L458	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L459	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L460	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:12
L461	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L462	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L463	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L464	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L465	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L466	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L467	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L468	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L469	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:12
L470	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12

L471	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:12
L472	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:12
L473	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:12
L474	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L475	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L476	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L477	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L478	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L479	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L480	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L481	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L482	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L483	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L484	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L485	2	"6289444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L486	163	712/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L487	394	712/209.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L488	160	712/211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L489	787	712/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L490	104	712/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L491	57	712/231.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L492	646	712/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L493	1974	712/233-240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L494	720	712/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L495	755	712/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L496	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L497	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 13:12
L498	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 13:12
L499	0	supres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L500	0	suppres$4 near2 WAW	USPAT	OR	OFF	2008/07/03 13:12
L501	0	suppres$4 with WAW	USPAT	OR	OFF	2008/07/03 13:12
L502	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L503	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L504	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L505	2188	(return adj address) with (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L506	1359	(return adj address) near2 (multiple ajd stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L507	0	(return adj address) near2 (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L508	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L509	112	(return adj address) with stack with compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L510	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 13:12
L511	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 13:12
L512	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 13:12
L513	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 13:12
L514	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 13:12
L515	2	(return adj address) with (multiple adj stack$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L516	4	suppres$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L517	6	bypass$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L518	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L519	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L520	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L521	47	(return adj address) with stack near4 compar$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L522	7	((return adj address) with stack near4 compar$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L523	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L524	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L525	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L526	180	buffer near2 overflow near2 attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L527	152	buffer adj overflow adj attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L528	99	buffer adj overflow adj attack and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12

L529	91	buffer adj overflow adj attack and stack and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:12
L530	74	compar$ near2 return near2 address	USPAT	OR	OFF	2008/07/03 13:12
L531	14	L530 and overflow	USPAT	OR	OFF	2008/07/03 13:12
L532	3	L530 and (buffer near2 overflow)	USPAT	OR	OFF	2008/07/03 13:12
L533	50	branch adj control adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L534	381	branch near2 condition near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L535	23	branch near2 condition near2 register near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L536	443	condition adj code adj register with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L537	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L538	4930	condition$3 near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L539	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12

L540	1908	(condition adj code adj register) or (processor adj status adj (register or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L541	264	L539 and (carry near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L542	1592	(condition adj code adj register) or (processor adj status adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L543	496	L542 and L538	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L544	2553610	L539 carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L545	3988	conditional near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L546	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L547	1263	L540 and branch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L548	0	"branch on condition" and (condition adj code adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L549	0	"branch on condition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12

L550	0	branch near2 condition adj register adj bit adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L551	45	branch near2 condition with register with bit with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L552	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L553	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L554	56	"5604877"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 13:12
L555	17	gochman.in.	USPAT	OR	OFF	2008/07/03 13:12
L556	3	gochman.in. and stack	USPAT	OR	OFF	2008/07/03 13:12

7/3/2008 1:33:49 PM
C:\Documents and Settings\tmeonske\My Documents\EAST\Workspaces\10644399.wsp